

## NORTHEAST WISCONSIN TECHNICAL COLLEGE PHYSICAL THERAPIST ASSISTANT PROGRAM 10-524-146 / PTA MANAGEMENT OF CARDIOPULMONARY & INTEGUMENTARY CONDITIONS

### GRADING RUBRIC FOR PRACTICAL EXAM

NAME: Jordan Applekan PDATE: 10/31/18 Instructor: Leah
Failure to address the following critical items will result in an automatic failure of the practical examination, thus requiring a retake exam:
1.) Introduces self to patient prior to beginning treatment using full name
and designation of "student physical therapist assistant from NWTC".
2.) Requests and receives consent to treat.
4.) Functions within an existing physical therapy plan of care
1.) ASSESSMENT (40 POINTS POSSIBLE):  Obka Udays  Vitals  active Cycle Breatler
Retire Carole Breather
I.) ASSESSMENT (40 POINTS POSSIBLE):
Performance:
5 = performs assessment in a technically competent manner, using accurate instructions and technique to collect data effectively and efficiently.
instructions and technique to collect data effectively and efficiently.
4 = performs assessment in a relatively competent manner, patient instructions are somewhat clear; however, collection of data is correct. Could be more effective and
emcient.
3 = performs assessment in a somewhat technically competent manner; instructions $HR$ 75 ppm are not clear but are somewhat correct; however, collection of data could be more $RR$ 12
are not clear but are somewhat correct; however, collection of data could be more RR 12
2 = performance of assessment is marginal, instructions are vague and data  **Control of the control of the con
collection is not effective or efficient.
collection is not effective or efficient.  1 = performance is not technically competent 0 = unable to perform assessment  Naturally  Uniter Foat least  ortals
1 = performance is not technically competent Reassess - Male surface to one unable to perform assessment vitals listen to at least
4 12 HRRR 3 Apols lack side
x3 = middle low
Safety:
5 = performance of assessment is safe, environment is safe, patient is handled

safely, and good body mechanics are used.

4 = performance of assessment is safe, environment is safe, patient is handled safely, but body mechanics could be improved.

3 = performance of assessment along with the environment are somewhat safe, patient position or assistant body mechanics could be improved.

2 = performance of assessment along with environment are somewhat safe, patient positioned awkwardly or at risk for being unsafe, assistant body mechanics are awkward or at risk for being unsafe.

1 = performance of assessment is not safe regarding technique, environment, patient or assistant but assessment is performed anyway

0 = unable to perform assessment

$$5x3 = 15$$

#### **Patient Interaction:**

5=communicates in a respectful manner, listens appropriately, demonstrates appropriate verbal communication, responds to nonverbal communication, and modifies own communication styles as indicated.

4 = communicates in a respectful manner, listens appropriately, minor issues with verbal communication delivery and response or modification of communication style. 3=communication and patient interaction is ok - room for improvement in verbal and/or nonverbal interaction exists.

2 = communication between patient and professional is minimal but enough to complete the assessment

1= communication between patient and professional occurs but is not effective. 0= no patient interaction occurs

$$5 \times 2 = 10$$
 points

#### TREATMENT INTERVENTION (40 POINTS POSSIBLE): II.)

#### Performance:

5 = performs intervention in a technically competent manner, using accurate patient position, hand placements and facilitation; intervention is effective and efficient.

4 = performs intervention in a relatively competent manner, patient position is correct however, hand placements or facilitation could be more accurate

3 = performs intervention in a somewhat technically competent manner; patient is nt position and hand placement.

Resting up to 3 min

3 Breaths w/ 3 see hold

Resting up to 3 min

11 selfing - emphasize spitting

secretion of illimate

- Buc positioned correctly however, hand placements and facilitation could be more accurate

2 = performance of intervention is marginal patient position and hand placement are not correct and facilitation is minimal

1 = performance is not technically competent

0 = unable to perform intervention

Safety:

5 = performance of intervention is safe, environment is safe, patient is handled safely, and good body mechanics are used.

4 = performance of intervention is safe, environment is safe, patient is handled safely, but body mechanics could be improved.

3 = performance of intervention is somewhat safe and effective, however, not efficient

2 = performance of intervention along with environment are somewhat safe, patient positioned awkwardly or at risk for being unsafe, assistant body mechanics are awkward or at risk for being unsafe.

1 = performance of intervention is not safe, but intervention is performed anyway 0 = unable to perform intervention

## Patient Interaction:

5=communicates in a respectful manner, listens appropriately, demonstrates appropriate verbal communication, responds to nonverbal communication, and modifies own communication styles as indicated.

4 = communicates in a respectful manner, listens appropriately, minor issues with verbal communication delivery and response or modification of communication style. 3=communication and patient interaction is ok – room for improvement in verbal and/or nonverbal interaction exists.

2 = communication between patient and professional is minimal but enough to complete the intervention

1= communication between patient and professional occurs but is not effective.

0= no patient interaction occurs

 $5 \times 2 = 10$  points

Slow down !

#### III.) TREATMENT PLAN WITH 2 ADDITIONAL APPROPRIATE **INTERVENTIONS (15 POINTS POSSIBLE):**

5 = 2 additional interventions are appropriate and well thought out

4 = 1 additional intervention is appropriate and well thought out, cueing needed for 2<sup>nd</sup>

3 = cueing needed for 2 additional appropriate interventions

2 = cueing needed for 1 additional appropriate intervention, unable to select a 2<sup>nd</sup>

1 = 2 additional interventions are provided however, they are not appropriate

0 = unable to provide additional interventions

Smoking accountion - a little

When to use

ROLE PLAY OF PATIENT SCENARIO (5 POINTS POSSIBLE):

# IV.)

5 = able to accurately role play patient scenario consistently throughout the session

4 = able to role play patient scenario relatively accurately consistently throughout the session

3 = able to role play patient scenario with cueing

2 = limited ability to role play patient scenario even with cueing

1 = needs consistent cueing to accurately role play patient scenario

0 = unable to role play patient scenario

5 x1=5

TOTAL POSSIBLE POINTS = 88 / 100 points